

CONTROLS THE FOLLOWING WEEDS:

Aspens	Fanweed	Poison Ivy
Bitter Sneezeweed	False Strawberry	Poison Oak
Bitterweed	Ground Ivy	Prickly Lettuce
Brambles	Heal All	Ragweed
Broomweed	Henbit	Sassafras
Burdock	Honeysuckle	Sheepsorrel
Buttercups	Jimsonweed	Shepherds Purse
Chervil	Knotweed	Speedwell
Chickweed	Kochia	Spotted Spurge
Chickory	Lambsquarters	Sumac
Chokecherry	Locust	Sunflower
Clovers	Maples	Thistles
Cocklebur	Mustard	Vetch
Coffeeweed	Oaks	Wild Carrot
Cottonwood	Oxalis	Wild Onion
Croton	Pennyworts	Wild Radish
Dandelion	Peppergrass	Wild Roses
Docks	Pigweed	Willows
Elms	Plantains	Yarrow
Evening Primrose	Plums	Yellow Rocket

AND MANY OTHERS!

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

LAWN AND TURF: To control dandelions, chickweed, plantains, Japanese clover, oxalis, wild onions and certain other weeds, dilute 2 quarts of this product with 200 gallons of water to treat one acre. Keep spray tank agitated during application. Wet foliage thoroughly with spray solution. Do not apply during the heat of day. If grass begins to yellow, water thoroughly and fertilize. Do not apply to grass less than 4 months old. Temporary burning or yellowing may occur to Bent and Fescue grasses. Do not use on clover, Dichondra or Lippia lawns. To control Oxalis, repeated treatments maybe necessary. For best control of wild onions, treat while young and before bulbs are formed – usually in late fall or early spring. Do not apply through any type of irrigation system.

TO TREAT SMALL AREAS: Mix 1-1/2 ounces of this product in 4-1/2 gallons of water to treat 1000 square feet.

TO CONTROL DOCKS, THISTLES, MORNING GLORY ALONG FENCE ROWS AND RIGHTS OF WAYS: Mix 1 gallon of this product in 100 gallons of water to treat 1 acre. Wet plants thoroughly and repeat when necessary.

FOR WOODY PLANTS SUCH AS POISON OAK, BRAMBLES, POISON IVY, SUMAC, HONEYSUCKLE: Mix 8 ounces of this product per gallon of water and drench thoroughly while plants area in full leaf. Repeat application in four weeks if necessary.

TO KILL STUMPS: Mix 1 pint of this product in one quart of kerosene or diesel oil. Spray all of the stump area thoroughly.
36091267

NET CONTENTS:

GALLONS

SELECTIVE HERBICIDE #3 BROADLEAF WEED KILLER

ACTIVE INGREDIENTS:

Dimethylamine 2,4-Dichlorophenoxyacetic Acid	12.30%
Trisopropanolamine 2,4-Dichlorophenoxyacetic Acid	19.07%
INERT INGREDIENTS:	68.63%
TOTAL :	100.00%

2,4-dichlorophenoxyacetic acid equivalent 20.1% (1.9 pounds per gallon).
Isomer specific by AOAC method 6, DO 1-5.

EPA REG. NO. 10088-5 -

EPA EST. NO. 10088-WI-1

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting. Call a physician or poison control center immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

See side panel for further precautionary statements.

SOLD BY:

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May cause skin irritation. Do not get in eyes or on clothing. Avoid contact with skin. Harmful if swallowed. Avoid breathing vapors or spray mist. When mixing, loading or applying this product or repairing or cleaning equipment used with this product, wear eye protection (face shield or safety glasses), long-sleeved shirt, long pants, socks, shoes, and rubber gloves. Wash hands, face and arms with soap and water as soon as possible after mixing, loading or applying this product. Wash hands, face and arms with soap and water before eating, smoking or drinking. Wash hands and arms before using the toilet. After work, remove all clothing and shower using soap and water. Do not re-use clothing worn during the previous days mixing and loading or application of this product without cleaning first. Clothing must be kept and washed separately from other household laundry. Remove saturated clothing as soon as possible and shower. The maximum number of broadcast applications per treatment site is 2 per year. If this container is over one gallon and less than five gallons, the person engaged in open pouring of this product must also wear coveralls or a chemical-resistant apron. If this container is five gallons or more in capacity, then a mechanical system (probe and pump) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect non-target plants. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water supply when disposing of equipment wash water. Most cases of groundwater contamination involving phenoxy herbicides such as 2,4-D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2,4-D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed system for mixing or transferring this product will reduce the probability of spills. Placement of mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination. Spray equipment should be thoroughly cleaned before using for any other purpose. This product will kill or seriously injure desirable forms of vegetation. Do not apply directly to ornamentals, flowers, fruits, vegetables, grapes, cotton, tobacco, carpet grass, St. Augustine grass or other desirable plants. Do not use when there is a hazard from drifting spray mist. Coarse sprays are less likely to drift. Vapors may injure susceptible plants in the immediate vicinity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Do not store near heat or open flame. Store above 32°F. If product freezes, mix thoroughly before using. This does not alter the product. Keep container tightly closed when not in use. If container is damaged or leaking, contain spill. Soak up spilled material with absorbent and place in closed, labeled container for proper disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or Hazardous Waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.