


TOTAL SOLUTIONS



ELIMINATOR

A CONTACT, NON-SELECTIVE VEGETATION KILLER FOR CONTROL OF BROADLEAF WEEDS, GRASS AND AQUATIC WEEDS. THIS HERBICIDE WILL KILL MOST FORMS OF PLANT GROWTH WITHOUT DAMAGE TO THE SOIL. ABSORPTION AND HERBICIDAL ACTION IS USUALLY QUITE RAPID WITH EFFECTS VISIBLE IN A FEW DAYS. THIS PRODUCT IS INACTIVATED ON CONTACT WITH THE SOIL.

SPEC

ACTIVE INGREDIENTS	
Diquat Dibromide (6,7-Dihydrodipyrido(1,2-a:2',1'-c) pyrazinediium dibromide)	1.85%
INERT INGREDIENTS	98.15%
TOTAL	100.00%

Contains 0.083 Lbs. Diquat cation per gallon as 0.155 Lbs. salt per gallon.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautionary statements and first aid instructions.

EPA REG. NO. 10088-13-68562

EPA EST. NO. 10088-WI-1

NET CONTENTS: 1 5 6 20 35 55 Gallons

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

FIRST AID

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.
IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

PERSONAL PROTECTIVE EQUIPMENT(PPE): Applicators and other handlers must wear: coveralls over long-sleeved shirt and long pants; waterproof gloves(chemical-resistant, Category A); chemical-resistant footwear plus socks; chemical-resistant headgear for overhead exposure; chemical-resistant apron when cleaning equipment, mixing or loading; and a dust/mist filtering respirator(MSHA/NIOSH approval number prefix TC-21C).

ENGINEERING CONTROLS: When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard(WPS) for agricultural pesticides(40 CFR 170.240(d)(4-6)), the handler PPE requirements may be reduced or modified as specified in the WPS.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist, for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outsides of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes or washwater. Do not use treated water for animal consumption, spraying or irrigation within 14 days after treatment. Treatment of dense weed areas can result in oxygen loss from decomposition of dead weeds. This loss can cause fish suffocation. Therefore, treat only 1/3 to 1/2 of the dense weed areas at a time and wait 14 days between treatments. Consult your State Fish and Game agencies before applying this product to public waters. Local conditions may affect the use of this product. Consult Agricultural Extension Service for specific recommendations on dosage and time of application and for control of other weeds. Check with state and local authorities for necessary application permits.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

ENTRY RESTRICTIONS

For 4 days following applications to non-crop areas (other than aquatic or residential sites), do not allow employees to have contact with the treated plants, except for contact with their footwear. For spot-treatment applications to residential sites, do not allow people or pets to touch treated plants until the sprays have dried.

AQUATIC WEEDS

For application to ponds, lakes, and drainage ditches where there is little or no outflow of water and which are totally under the control of the products user. Do not use treated water for animal consumption, spraying, irrigation or domestic purposes for 14 days after treatment.

For control of submerged weeds, dilute and inject below the water surface, or pour directly into the water while moving slowly over the area in a boat. Apply early in the season before weed growth has reached the surface. Do not apply to muddy water, and do not agitate the water excessively with outboard motor or injection equipment during application. Wash sprayer immediately after application with detergent and water then rinse with clear water.

For control of cattail, duckweed, waterlettuce and floating weeds, use 20 to 48 gallons per acre diluted with 30 to 150 gallons of water. For best results, use a non-ionic surfactant in the spray mixture. Apply as a foliar treatment before flowering of weeds or as a late season treatment. Apply to thoroughly wet weeds. Repeat application as needed.

GALLONS TO USE PER ACRE PER FOOT OF DEPTH

*Algae (Spirogyra and Pithophora spp.)	.14 to 48 gallons
Bladderwort (Utricularia spp.)	.7 to 48 gallons
Coontail (ceratophyllum demersum)	.48 gallons
Elodea (Elodea spp.)	.48 gallons
Naiad (Najad spp.)	.7 to 20 gallons
*Pondweed (Potamogeton spp.)	.14 to 48 gallons
Watermilfoil (Myriophyllum spp.)	.7 to 48 gallons

*Repeat application may be necessary for heavy infestations or where reinfestation may occur from seed fragmentation or escape.

GOLF COURSES, DRIVEWAYS, PATIOS, ORNAMENTAL GARDENS, WALKWAYS, FENCEROWS AND OTHER NON-CROP AREAS including around commercial and manufacturing buildings, rights-of-way and storage yards for control of undesirable broadleaf weeds and grasses, including annual and perennial broadleaf weeds, chickweed, sedge, bermuda grass and other grasses.

Use 2-1/2 gallons of this product per 20 gallons of water (16 ounces per gallon of water). Apply as a directed spray to thoroughly wet the weeds. For best results, use a non-ionic surfactant in the spray mixture. Application may be made any time during the growing season. Repeat application as necessary. Do not water treated areas for 24 to 36 hours after application. Avoid spray contact with food crops or ornamental plants. Do not apply this product through any type of irrigation system.

0145.030700

Distributed By:

Total Solutions • P. O. BOX 240014 • Milwaukee, WI 53224

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Store at temperatures above 32°F.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Total Solutions • Milwaukee, WI 53224